| Electronic Acknowledgement Receipt | | | | |
|--------------------------------------|--|--|--|--|
| EFS ID: | 2970698 | | | |
| Application Number: | 10586088 | | | |
| International Application Number: | | | | |
| Confirmation Number: | 1134 | | | |
| Title of Invention: | Lock Bolt of High Strength Steel Pipe and Method of Manufacturing th Same | | | |
| First Named Inventor/Applicant Name: | Takefumi Nakako | | | |
| Correspondence Address: | Russell D. Orkin - 700 Koppers Building 436 Seventh Avenue | | | |
| | Pittsburgh PA 15219-1818 US - | | | |
| Filer: | Bryan Clark/Lisa Miller | | | |
| Filer Authorized By: | Bryan Clark | | | |
| Attorney Docket Number: | 2204-061970 | | | |
| Receipt Date: | 10-MAR-2008 | | | |
| Filing Date: | 13-JUL-2006 | | | |
| Time Stamp: | 10:42:34 | | | |
| | U.S. National Stage under 35 USC 371 | | | |

rayıncnı imormation.

| Submitted with Payment | no |
|------------------------|----|
| File Listing: | |

| Number | Document Description | File Name | File Size(Bytes) /Message Digest | Multi Part /.zip | Pages (if appl.) |
|--|---|---|--|--|--|
| 1 | Miscellaneous Incoming Letter | Transmittal.pdf | 129632 | no | 1 |
| | | | 7d12ef363d1348795ec4ade0eff1eb67a 1461d13 | | |
| Warnings: | | | | | |
| nformation: | | | | | |
| 2 Misce | Miscellaneous Incoming Letter | ISR.pdf | 213250 | no | 2 |
| | Missonarioods mooning Local | | 2b8c560a6ba9a163e65b21249dc632c 47feea627 | | |
| Warnings: | | | | | |
| Information: | | | | | _ |
| 3 | Information Disclosure Statement | IDSLetter.pdf | 167190 | no | 2 |
| ŭ | Letter | 1502011.pd/ | 2bda67c9e5fd27f0b7362f5840af7112b 9bb1c5d | | |
| Warnings: | | | | | |
| Information: | | | | | |
| 4 | Information Disclosure Statement | IDS.pdf | 769133 | no | 4 |
| 7 | (IDS) Filed | | 25a91214eb873513d01dd48d18b1496712 35a1e6 | 110 | |
| Warnings: | | | | | |
| for autoloading Message if you be made availa | Number Citation or a U.S. Publication N of data into USPTO systems. You may are citing U.S. References. If you chos able within the Image File Wrapper (IFW foreign Patent Documents or Non Paten | remove the form to add the release not to include U.S. Referent by system. However, no data w | equired data in order to co ces, the image of the form will be extracted from this t | orrect the Info will be proc form. Any ad | ormational essed and ditional |
| A U.S. Patent I for autoloading Message if you be made availa | of data into USPTO systems. You may are citing U.S. References. If you chos able within the Image File Wrapper (IFW | remove the form to add the release not to include U.S. Referent by system. However, no data w | equired data in order to co ces, the image of the form will be extracted from this t | orrect the Info will be proc form. Any ad | ormational essed and ditional |
| A U.S. Patent I for autoloading Message if you be made availa data such as F | of data into USPTO systems. You may are citing U.S. References. If you chos able within the Image File Wrapper (IFW oreign Patent Documents or Non Paten | remove the form to add the rele not to include U.S. Referently) system. However, no data was Literature will be manually r | required data in order to co ces, the image of the form will be extracted from this fe eviewed and keyed into U | orrect the Info n will be proc form. Any ad SPTO syster | ormational essed and ditional ms. |
| A U.S. Patent I for autoloading Message if you be made availa data such as F | of data into USPTO systems. You may are citing U.S. References. If you chos able within the Image File Wrapper (IFW oreign Patent Documents or Non Paten | remove the form to add the rele not to include U.S. Referently) system. However, no data was Literature will be manually r | required data in order to occes, the image of the form will be extracted from this reviewed and keyed into U-473973 | orrect the Info n will be proc form. Any ad SPTO syster | ormational essed and ditional ms. |
| A U.S. Patent I for autoloading Message if you be made availa data such as F 5 Warnings: | of data into USPTO systems. You may are citing U.S. References. If you chos able within the Image File Wrapper (IFW oreign Patent Documents or Non Paten | remove the form to add the rele not to include U.S. Referently) system. However, no data was Literature will be manually r | required data in order to occes, the image of the form will be extracted from this reviewed and keyed into U-473973 | orrect the Info n will be proc form. Any ad SPTO syster | ormational essed and ditional ms. |
| A U.S. Patent I for autoloading Message if you be made availadata such as F 5 Warnings: Information: | of data into USPTO systems. You may are citing U.S. References. If you chos able within the Image File Wrapper (IFW foreign Patent Documents or Non Patent Foreign Reference | remove the form to add the rele not to include U.S. Referently) system. However, no data with Literature will be manually responsible. | required data in order to occes, the image of the form will be extracted from this reviewed and keyed into U-473973 | orrect the Info | ormational essed and ditional ns. |
| A U.S. Patent I for autoloading Message if you be made availa data such as F 5 | of data into USPTO systems. You may are citing U.S. References. If you chos able within the Image File Wrapper (IFW oreign Patent Documents or Non Paten | remove the form to add the rele not to include U.S. Referently) system. However, no data was Literature will be manually r | required data in order to occes, the image of the form will be extracted from this reviewed and keyed into U. 473973 416480551b830bedd8d084b11af2d730 2110c8f9 | orrect the Info n will be proc form. Any ad SPTO syster | ormational essed and ditional ms. |
| A U.S. Patent I for autoloading Message if you be made availadata such as F Warnings: Information: | of data into USPTO systems. You may are citing U.S. References. If you chos able within the Image File Wrapper (IFW foreign Patent Documents or Non Patent Foreign Reference | remove the form to add the rele not to include U.S. Referently) system. However, no data with Literature will be manually responsible. | equired data in order to occes, the image of the form will be extracted from this reviewed and keyed into U. 473973 416480551b83cbedd8d084b11af2d730 2110c8f9 1507428 aa760d87045614a795e94df900bbdda4 | orrect the Info | ormational essed and ditional ns. |
| A U.S. Patent I for autoloading Message if you be made availadata such as F Warnings: Information: | of data into USPTO systems. You may are citing U.S. References. If you chos able within the Image File Wrapper (IFW foreign Patent Documents or Non Patent Foreign Reference | remove the form to add the rele not to include U.S. Referently) system. However, no data with Literature will be manually responsible. | equired data in order to occes, the image of the form will be extracted from this reviewed and keyed into U. 473973 416480551b83cbedd8d084b11af2d730 2110c8f9 1507428 aa760d87045614a795e94df900bbdda4 | orrect the Info | ormational essed and ditional ns. |
| A U.S. Patent I for autoloading Message if you be made availadata such as F Warnings: Information: 6 Warnings: Information: | of data into USPTO systems. You may are citing U.S. References. If you chos able within the Image File Wrapper (IFW foreign Patent Documents or Non Patent Foreign Reference Foreign Reference | remove the form to add the rele not to include U.S. Referency) system. However, no data with Literature will be manually respectively. JP07189598.pdf JP63185900.pdf | equired data in order to occes, the image of the form will be extracted from this reviewed and keyed into U. 473973 416480551b83cbedd8d084b11af2d730 2110c8f9 1507428 aa760d87045614a795e94df900bbdda4 | prrect the Info | ormational essed and ditional ms. 4 |
| A U.S. Patent I for autoloading Message if you be made availadata such as F Warnings: Information: | of data into USPTO systems. You may are citing U.S. References. If you chos able within the Image File Wrapper (IFW foreign Patent Documents or Non Patent Foreign Reference | remove the form to add the rele not to include U.S. Referently) system. However, no data with Literature will be manually responsible. | equired data in order to occes, the image of the form will be extracted from this eviewed and keyed into U 473973 416480551b83cbedd8d084b11af2d730 2110c8f9 1507428 aa760d87045614a795e94df900bbdda4 be065d60 | orrect the Info | ormational essed and ditional ns. |
| A U.S. Patent I for autoloading Message if you be made availadata such as F Warnings: Information: 6 Warnings: Information: | of data into USPTO systems. You may are citing U.S. References. If you chos able within the Image File Wrapper (IFW foreign Patent Documents or Non Patent Foreign Reference Foreign Reference | remove the form to add the rele not to include U.S. Referency) system. However, no data with Literature will be manually respectively. JP07189598.pdf JP63185900.pdf | equired data in order to occes, the image of the form will be extracted from this eviewed and keyed into U. 473973 416480551b830bedd8d084b11af2d730 2110c8f9 1507428 aa760d87045614a795e94df900bbdda4 be065d60 692159 66bc26185486cb43c318ee50622d254 | prrect the Info | ormational essed and ditional ms. 4 |
| A U.S. Patent I for autoloading Message if you be made availadata such as F Warnings: Information: Warnings: Information: | of data into USPTO systems. You may are citing U.S. References. If you chos able within the Image File Wrapper (IFW foreign Patent Documents or Non Patent Foreign Reference Foreign Reference | remove the form to add the rele not to include U.S. Referency) system. However, no data with Literature will be manually respectively. JP07189598.pdf JP63185900.pdf | equired data in order to occes, the image of the form will be extracted from this eviewed and keyed into U. 473973 416480551b830bedd8d084b11af2d730 2110c8f9 1507428 aa760d87045614a795e94df900bbdda4 be065d60 692159 66bc26185486cb43c318ee50622d254 | prrect the Info | ormational essed and ditional ms. 4 |
| A U.S. Patent I for autoloading Message if you be made availadata such as F Warnings: Information: Warnings: Information: | of data into USPTO systems. You may are citing U.S. References. If you chosable within the Image File Wrapper (IFW foreign Patent Documents or Non Patent Foreign Reference Foreign Reference Foreign Reference | JP64043700.pdf | equired data in order to occes, the image of the form will be extracted from this eviewed and keyed into U. 473973 416480551b830bedd8d084b11af2d730 2110c8f9 1507428 aa760d87045614a795e94df900bbdda4 be065d60 692159 66bc26185486cb43c318ee50622d254 | no no no | ormational essed and ditional ms. 4 17 |
| A U.S. Patent I for autoloading Message if you be made availadata such as F Warnings: Information: 7 Warnings: | of data into USPTO systems. You may are citing U.S. References. If you chos able within the Image File Wrapper (IFW foreign Patent Documents or Non Patent Foreign Reference Foreign Reference | remove the form to add the rele not to include U.S. Referency) system. However, no data with Literature will be manually respectively. JP07189598.pdf JP63185900.pdf | equired data in order to occes, the image of the form will be extracted from this reviewed and keyed into U 473973 416480551b83cbedd8d084b11af2d730 2110c8f9 1507428 aa760d87045614a795e94df900bbdda4 be065d60 692159 66bc26185486cb43c318ee50622d254 9d3b19949 | prrect the Info | ormational essed and ditional ms. 4 |

| Information: | | | | | |
|------------------|------------------------------|--------------------|--|-----|------|
| 9 | Faraign Deference | ID200220cc00 mdf | 1096027 | no | 7 |
| 9 | 9 Foreign Reference | JP2003206698.pdf | 5df00e5a83c77dbd83b2174e964fba17 6469a9b3 | no | 1 |
| Warnings: | | | | | - 10 |
| Information: | | | | | |
| 10 | Foreign Reference | JP2003501573.pdf | 953491 | no | 12 |
| roreign Neierenk | r oreign Hererence | 01 200000 1076.pai | c06367683b952a3acf536d5c3475c05d bd640807 | 110 | 12 |
| Warnings: | | | | | |
| Information: | | | | | |
| | Total Files Size (in bytes): | | 7021180 | | |

This Acknowledgement Receipt evidences receipt on the noted date by the USPTO of the indicated documents, characterized by the applicant, and including page counts, where applicable. It serves as evidence of receipt similar to a Post Card, as described in MPEP 503.

New Applications Under 35 U.S.C. 111

If a new application is being filed and the application includes the necessary components for a filing date (see 37 CFR 1.53(b)-(d) and MPEP 506), a Filing Receipt (37 CFR 1.54) will be issued in due course and the date shown on this Acknowledgement Receipt will establish the filing date of the application.

National Stage of an International Application under 35 U.S.C. 371

If a timely submission to enter the national stage of an international application is compliant with the conditions of 35 U.S.C. 371 and other applicable requirements a Form PCT/DO/EO/903 indicating acceptance of the application as a national stage submission under 35 U.S.C. 371 will be issued in addition to the Filing Receipt, in due course.

New International Application Filed with the USPTO as a Receiving Office

If a new international application is being filed and the international application includes the necessary components for an international filing date (see PCT Article 11 and MPEP 1810), a Notification of the International Application Number and of the International Filing Date (Form PCT/RO/105) will be issued in due course, subject to prescriptions concerning national security, and the date shown on this Acknowledgement Receipt will establish the international filing date of the application.